

Enkelsaxar

Betäckning	Kapacitet * (kg)	Ovanplan L & B (mm)	Lyftrörelse (mm)	Egenhöjd (mm)	Lyfttid tid (s)	Motor (kW)	Egenvikt (kg)	Notering
TLX-5/60-1C	500	950x600	600	180	8	0,8	120	
TLX-5/82-1C	500	1350x800	820	180	12	0,8	170	
TLX-5/82-1C	500	1350x1000	820	180	12	0,8	185	
TLX-5/82-1C	500	1500x1000	820	180	12	0,8	200	
TLX-10/60-1C	1000	950x600	600	180	14	0,8	145	
ECO-10/82-1C	1000	1200x800	820	180	18	0,8	175	**
TLX-10/82-1C	1000	1350x800	820	180	21	0,8	185	
TLX-10/82-1C	1000	1350x1000	820	180	21	0,8	200	
TLX-10/82-1C	1000	1500x1000	820	180	21	0,8	215	
TLX-10/110-1C	1000	1700x900	1100	230	33	0,8	320	
TLX-10/110-1C	1000	2000x1000	1100	230	33	0,8	340	
TLX-10/130-1C	1000	2000x1000	1300	230	33	0,8	360	
TLX-15/82-2C	1500	1350x800	820	230	24	0,8	215	
TLX-15/82-2C	1500	1350x1000	820	230	24	0,8	225	
TLX-15/82-2C	1500	1500x1000	820	230	24	0,8	230	
TLX-15/110-2C	1500	1700x900	1100	230	38	0,8	330	
TLX-15/110-2C	1500	2000x1000	1100	230	38	0,8	350	

* Förutsätter jämt fördelad last

** Måtten på bordet är fasta och går inte att ändra

Enkelsaxar

Betäckning	Kapacitet * (kg)	Ovanplan L & B (mm)	Lyftrörelse (mm)	Egenhöjd (mm)	Lyfttid tid (s)	Motor (kW)	Egenvikt (kg)	Notering
TLX-20/82-2C	2000	1350x800	820	230	42	0,8	215	
TLX-20/82-2C	2000	1350x1000	820	230	42	0,8	225	
TLX-20/82-2C	2000	1500x1000	820	230	42	0,8	230	
TLX-20/110-2C	2000	1700x900	1100	230	68	0,8	330	
TLX-20/110-2C	2000	2000x1000	1100	230	68	0,8	350	
TLX-20/130-2C	2000	2000x1000	1300	260	22	2,3	370	
TLX-20/160-2C	2000	2200x1200	1600	300	33	2,3	470	
TLX-20/160-2C	2000	2200x1500	1600	300	33	2,3	520	
TLX-20/180-2C	2000	3000x1200	1800	300	36	2,3	590	
TLX-20/180-2C	2000	3000x1500	1800	300	36	2,3	630	
TLX-30/82-2C	3000	1350x800	820	250	18	2,3	265	
TLX-30/82-2C	3000	1350x1000	820	250	18	2,3	295	
TLX-30/82-2C	3000	1500x1000	820	250	18	2,3	325	
TLX-30/110-2C	3000	1700x900	1100	260	28	2,3	360	
TLX-30/110-2C	3000	2000x1000	1100	260	28	2,3	380	
TLX-30/130-2C	3000	2000x1200	1300	300	28	2,3	430	
TLX-30/160-2C	3000	2200x1200	1600	300	42	2,3	490	
TLX-30/160-2C	3000	2200x1500	1600	300	42	2,3	540	
TLX-30/180-2C	3000	3000x1200	1800	300	45	2,3	800	
TLX-30/180-2C	3000	3000x1500	1800	300	45	2,3	850	

* Förutsätter jämt fördelad last

Enkelsaxar

Betäckning	Kapacitet * (kg)	Ovanplan L & B (mm)	Lyftrörelse (mm)	Egenhöjd (mm)	Lyfttid tid (s)	Motor (kW)	Egenvikt (kg)	Notering
TLX-40/82-3C	4000	1350x800	820	300	27	2,3	300	
TLX-40/82-3C	4000	1500x1000	820	300	27	2,3	360	
TLX-40/110-3C	4000	1700x900	1100	300	32	3,5	405	
TLX-40/110-3C	4000	2000x1000	1100	300	32	3,5	425	
TLX-40/130-3C	4000	2000x1200	1300	300	32	3,5	490	
TLX-40/160-3C	4000	2200x1200	1600	350	47	3,5	540	
TLX-40/160-3C	4000	2200x1500	1600	350	47	3,5	590	
TLX-40/180-3C	4000	3000x1200	1800	400	51	3,5	870	
TLX-40/180-3C	4000	3000x1500	1800	400	51	3,5	1070	
TLX-50/110-4C	5000	2000x1200	1100	400	34	3,5	850	
TLX-50/130-4C	5000	2200x1200	1300	400	34	3,5	870	
TLX-50/160-4C	5000	2500x1200	1600	400	49	3,5	900	
TLX-50/160-4C	5000	2500x1500	1600	400	49	3,5	950	
TLX-50/180-4C	5000	3000x1200	1800	400	54	3,5	1000	
TLX-50/180-4C	5000	3000x1500	1800	400	54	3,5	1050	
TLX-60/110-4C	6000	2000x1200	1100	400	43	3,5	900	
TLX-60/130-4C	6000	2200x1200	1300	400	43	3,5	930	
TLX-60/160-4C	6000	2500x1200	1600	400	62	3,5	1000	
TLX-60/160-4C	6000	2500x1500	1600	400	62	3,5	1050	

* Förutsätter jämt fördelad last

Lyftbord med lyftkapacitet på 6000kg fortsätter på nästa sida ↓

Enkelsaxar

Betäckning	Kapacitet * (kg)	Ovanplan L & B (mm)	Lyftrörelse (mm)	Egenhöjd (mm)	Lyfttid tid (s)	Motor (kW)	Egenvikt (kg)	Notering
TLX-60/180-4C	6000	3000x1200	1800	400	68	3,5	1200	
TLX-60/180-4C	6000	3000x1500	1800	400	68	3,5	1300	
TLX-80/150-6C	8000	3000x2000	1500	600	49	5,5	1850	
TLX-100/150-6C	10000	3000x2000	1500	600	62	5,5	1900	

* Förutsätter jämt fördelad last